



Our Featured Brand



www.aimchamp.con

#### AIMCHAMP ABRASIVES, INC.

Address: 7536 E Plateau Drive, Hanover, MD 21076 Tel: +1 (443)529-6550 Email: sales@aimchamp.com




the one-stop abrasive solution for all woodworking needs.

AIMCHAMP ABRASIVES is a leading manufacturer and one-stop solution supplier of abrasive products.

AIMCHAMP ABRASIVES has wide range of abrasive products meeting woodworking industry standards. The products include Jumbo Rolls, Sanding Belts, Flap Discs, Non-Woven abrasives, Velcro/PSA Discs, Sandpaper, Sponges, etc.

AIMCHAMP has become a recognized name in the abrasive industry. In R&D, our own research team is dedicated to developing new products to specific needs and market requirements.


# We Focus On







4 High Efficiency and Low-Cost Product for One-Stop Abrasive Solution



AIMCHAMP ABRASIVES aims to be a global brand.

We are one of the world's leading manufacturers of abrasive products.



### Wooden Board-Chipboard





**B636** 

-Overlap **Joint Type** MANIMAN MAN -Top Button -Back Button

Grain Silicon Carbide **Backing** Y-Wt Polyester Cloth **Bonding** Resin over Resin **Coating** Semi-Close - Premier Silicon Carbide for Good Self-Sharping Advantage

- Excellent Stock Removal Rate - High Abrasive Performance - Specifically Suitable for Chipboard

**Sanding Type** 



































P400



## Wooden Board-MDF





**A69** 

Grain Silicon Carbide **Backing** High Standard Y-Wt Polyester **Bonding** Resin over Resin **Coating** Semi-Close - Premier Silicon Carbide for Good Self-Sharping -Overlap **Joint Type** Advantage - Very Durable Backing -Top Button - Excellent Sanding Performance - Ideal Product for MDF -Back Button Sanding Type **Grit** P400 P800 P1000 P1200

# Wooden Board-Plywood





### K518E

Grain Aluminum Oxide **Backing** E-Wt Paper **Bonding** Resin over Resin **Coating** Close - Premier Aluminum Oxide for Excellent Even Surface -Overlap **Joint Type** Advantage - Anti Static Coating for Dust Free Sanding -Top Button - Long Service Life **Sanding Type** -Back Button Grit P800 P1000 P1200

### Wooden Board-Solid Wood





X656

**Joint Type** -Overlap -Top Button Grain Calcined Aluminum Oxide **Backing** X-Wt Polyester **Bonding** Resin over Resin **Coating** Close -Even Sanding Surface Advantage -Excellent Stock Removal Performance -Ideal Product for Solid Wood **Sanding Type** 

-Back Button





**Grit** 





































P800 P1000 P1200



**Furniture & Flooring** 



### **Calibration**

### **Intermediate**

X656



X216



Grain	Calcined Aluminum Oxide		Grain	Alumii	num Oxid	e					
Backing	X-Wt Polyester		Backing	E-Wt P	aper						
Bonding	Resin over Resin		Bonding	Resin o	over Resin	1					
Coating	Close		Coating	Close							
Advantage	- Excellent Stock Removal Performance		Advantage	- Prim	ier Alumir	num Oxic	le for Exc	ellent Ev	en Surfa	ce	
	- Very Durable Backing			- Anti !	Static Coa	ting for [	Oust Free	Sanding	l		
	- Ideal for Plywood and Solid Wood			- Ideal	for Plywo	ood and S	Solid Wo	od			
	- Excellent Performance in Furniture & Floor Calibration			- Excel	lent Perfo	ormance	in Furnit	ure & Flo	oring Int	ermediat	e
Joint Type	-Overlap -Top Button -Back	Button	Sandin	g Type							
Grit	P36         P40         P50         P60         P80         P100         P120         P150	P180 Stock R	P220 P240 P280 Removal Surface		P360	P400	P500	P600	P800	P1000	P1200



# **Furniture & Flooring**



### **Top Coat**

**DC-19** 





**Disc Sanding** 





A965



**F69** 



A658

#### Advantage

- Excellent on Loading Resist, Uniform Surface Pattern

#### **Advantage**

- Loading Resistant, Even Sanding, Uniform Surface, and Longer Life

#### Advantage

- The Best Sanding Performace -H



<u> JB-6L</u>



**S63** 

#### Advantage

- Excellent on Loading Resistant , and Cooler Cutting

#### Advantage

- The Best Sanding Performance





Available



# **Hand Sanding**





**SP98** 



N651



A658

Grain	Aluminum Oxide or Silicon Carbide
Coating	Close
Advantage	- Available with Low-Middle-High Density EVA - Easy-to-Use

Grain	Aluminum Oxide or Silicon Carbide
Backing	Nylon
Coating	Close
Advantage	- Excellent Flexibility - Heavy Sanding Performance - Washable& Reusable

Grain	Aluminum Oxide
Backing	C-Wt Paper
Bonding	Resin over Resin
Coating	Open
_	
	- Perfect Performance in Flat
Advantage	- Perfect Performance in Flat Surface Sanding

